

OFFICE OF NAVAL RESEARCH

CONTRACT N00014-95-1-0028

R&T Code 4131D02

Dr. Richard S. Miller


Technical Report No. 79

COMPUTATIONAL INVESTIGATION OF THE STABILITIES
OF SOME N, O, F IONS

by

M. Edward Grice and Peter Politzer

Department of Chemistry
University of New Orleans
New Orleans, LA 70148



March 16, 1995

Reproduction in whole or in part is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.

DTIC QUALITY INSPECTED 1

19950327 156

REPORT DOCUMENTATION PAGE

Form Approved

OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.


1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE March 16, 1995		3. REPORT TYPE AND DATES COVERED Technical Report	
4. TITLE AND SUBTITLE Computational Investigation of the Stabilities of Some N, O, F Ions				5. FUNDING NUMBERS N00014-95-I-0028 Dr. Richard S. Miller R&T Code 4131DO2	
6. AUTHOR(S) M. Edward Grice and Peter Politzer					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of New Orleans Department of Chemistry New Orleans, Louisiana 70148				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Code 333 800 N. Quincy Street Arlington, VA 22217				10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
				Accession For NTIS CRA&I <input checked="" type="checkbox"/> DTIC TAB <input type="checkbox"/> Unannounced <input type="checkbox"/> Justification	
11. SUPPLEMENTARY NOTES				By _____ Distribution / _____	
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release. Unlimited distribution				Availability Codes Dist Avail and/or Special A-1	
12b. DISTRIBUTION CODE "					
13. ABSTRACT (Maximum 200 words) In response to the suggestion of Jeff Bottaro (SRI International), we have investigated the potential stabilities of four N, O, F ions, 1 - 4. All four molecular geometries were optimized using a non-local density functional (DF) procedure (Gaussian 92/DFT; BLYP/6-31+G**) and also at the <i>ab initio</i> MP2/6-31+G** (frozen core) level. For 1, the MP optimization was carried out as well without the frozen-core approximation. All calculations were for spin-restricted singlet states; however the DF results were checked for stability relative to allowing them to become spin-unrestricted and/or complex and were determined to be stable in this respect. In order to ascertain whether the optimized structures correspond to true energy minima, vibration frequencies were computed for all four systems at the DF level and for 1 and 2 at the MP2; for the anions 3 and 4, the number of basis functions being used precluded MP2 frequency calculations. No imaginary vibration frequencies were found. This confirms that the optimized structures of all four systems do correspond to true energy minima, and that these ions should be able to exist.					
14. SUBJECT TERMS N, O, F ions; density functional calculations; stabilities				15. NUMBER OF PAGES 3	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited		

In response to the suggestion of Jeff Bottaro (SRI International), we have investigated the potential stabilities of four N, O, F ions, 1 - 4.

All four molecular geometries were optimized using a non-local density functional (DF) procedure (Gaussian 92/DFT; BLYP/6-31+G**) and also at the *ab initio* MP2/6-31+G** (frozen core) level. For 1, the MP optimization was carried out as well without the frozen-core approximation. All calculations were for spin-restricted singlet states; however the DF results were checked for stability relative to allowing them to become spin-unrestricted and/or complex and were determined to be stable in this respect.


In order to ascertain whether the optimized structures correspond to true energy minima, vibration frequencies were computed for all four systems at the DF level and for 1 and 2 at the MP2; for the anions 3 and 4, the number of basis functions being used precluded MP2 frequency calculations. No imaginary vibration frequencies were found. This confirms that the optimized structures of all four systems do correspond to true energy minima, and that these ions should be able to exist.

The computed energies and geometries are shown below. Energies are in hartrees (1 hartree = 627.5 kcal/mole), distances in Å and angles in degrees. For the most part, the geometries obtained by the two procedures are very similar.




Both DF and MP2 optimizations gave a planar C_s structure.

	DF	MP2-FC	MP2
Energy	-283.99968	-283.30446	-283.31763
F-N	1.343	1.335	1.333
N-N	1.216	1.208	1.204
O-N	1.164	1.155	1.155
F-N-N	121.80	126.96	126.51
O-N-N	157.98	157.91	158.28




Both optimizations gave a C_2 structure with bent N-N-N and the fluorines out of the N-N-N plane.

	DF	MP2-FC
Energy	-363.33081	-362.43088
F-N	1.361	1.348
N-N	1.241	1.233
F-N-N	112.14	110.38
N-N-N	147.94	156.18
F-N-N-N	135.9	135.2



The DF optimization gave a planar C_{3h} structure. The MP2 optimization was constrained to C_{3h} .

	DF	MP2-FC
Energy	-518.28869	-517.01888
F-N	1.502	1.461
N-N	1.363	1.347
F-N-N	104.04	103.68



The DF optimization gave a planar C_{2v} structure. The MP2 optimization was constrained to C_{2v} .

	DF	MP2-FC
Energy	-424.07269	-423.02031
N1-N2	1.373	1.361
N2-N4	1.361	1.357
N4-N5	1.351	1.345
N-O	1.281	1.266
N2-N1-N3	101.72	101.83
N4-N2-N1	112.52	112.66
N5-N4-N2	106.62	106.42
O6-N2-N4	124.30	124.24
O6-N2-N1	123.18	123.10